

Web Images Videos Maps News Shopping Gmail more ▾

Search settings | Sign in



+identify +meta tag +metadata +tag +entry + "semantic object" +access:

Web Show options...

Results 1 - 33 of 33 for +identify +meta tag +metadata +tag

Tip: Save time by hitting the return key instead of clicking on "search"

Task computing - Patent Application 20050246726

The smart tag feature highlights text in the current document while using an ... for and it returns a hard-wired task associated with this type of entry. semantic object instances and/or SSDs 116 used in Task Computing 100 as The network connection for Web access, while performing Task Computing on a ...
www.freepatentsonline.com/y2005/0246726.html - Similar
by Y Labrou - 2005 - Related articles

System and method for semantic knowledge retrieval, management ...

This can be "targetentries," in which case the tag includes sub-tags ... [0825] MetadataEntry—this indicates the details of a metadata entry. [0877] The CopyObject method copies the semantic object to the clipboard as an SGML. The KIS employs a policy of "default access." Default access here means that ...
www.freepatentsonline.com/y2004/0230572.html - Similar
by N Omorgui - 2004 - All 7 versions

(WO/2004/075466) SEMANTIC KNOWLEDGE RETRIEVAL MANAGEMENT AND ...

Repeat the steps above for the title of the object and other meta-tags as appropriate. MetadataEntry-this indicates the details of a metadata entry. CopyObject INTRODUCTION The CopyObject method copies the semantic object to the ... Access Control a. Access Control Policy In the preferred embodiment, ...
www.wipo.int/pctdb/en/wo.jsp?1A=US2004004674... - Cached - Similar

Second International Semantic Web Conference (ISWC 2003)

access and the presentation, and Metadata to make resource descriptions available to machine in a a semantic network can be easily referenced, and condi- The Semantic Object Web: An Object-Centric Approach to Knowledge. A HTML META tag in the homepage points to the owner's profile in DAML. ...
iswc2003.semanticweb.org/pdf/ISWC2003Posters&Demos.pdf - Similar

ISWC Semantic Integration Workshop (SI-2003)

File Format: PDF/Adobe Acrobat
tions for each mapping rule. However, each mapping rule and its semantic conditions have to be cific network access channels (e.g. wireless networks) and Identify data sources, we created metadata files for each data set. We explicitly tag elements of the models with labels indicating relative ...
iswc2003.semanticweb.org/pdf/SI2003-Proceedings.pdf - Similar

Downloaded from http://www.laynetworks.com : solutions@laynetworks ...

BTag Beginning Tag: A one oct field of the GPSC_PDU used in conjunction with the Etag. Clients run client software to provide network access. Metadata Data definitions describing aspects of the actual data items, with only two endpoints. policy A rule that an administrator places on the system, ...
www.laynetworks.com/download/all.txt - Cached - Similar

ISWC Consumer Distributed File Systems

File Format: PDF/Adobe Acrobat
View as HTML
This information is stored as metadata within each file (in the ID3 tag. devices that share a common view of the file system over a local network. ins with access to specified memory regions and allowed function entry points. semantic object storage for the home. Tech. Rep. CMU-PDL-06-103, Carnegie ...
deepblue.lib.umich.edu/bitstream/2027.42/23531/1/depek_1.pdf - Similar
by GN Peck - 2006 - Related articles

ISWC KSCO-2002 Proceedings

File Format: PDF/Adobe Acrobat
external rule firing (or an intervention) that contradicts an existing token (i.e. Semantic Object Web, as tools to deliver both information access and ... XML and derivative tag-language based interoperability is becoming a de facto ... metadata for both unstructured sources (such as analysis reports) and ...
handle.dtic.mil/1GG.2/ADA402533 - Similar

ISWC National Building Information Modeling Standard Version 1 - Part 1 ...

File Format: PDF/Adobe Acrobat
method NBIMS plans to use to identify and build Tier 1 exchange. Metadata concerning who entered the information into the BIM and the level of within the definition of an individual semantic object (being either a product. buildings) and facilities to tag all information with a globally unique ID ...
www.wbdg.org/pdfs/NBIMSv1_p1.pdf - Similar

(PDF) PRT Guide

File Format: PDF/Adobe Acrobat - View as HTML

properties with respect to personalization and meta-data handling. The generic registry tag in the portalapp.xml

properties with respect to personalization and meta data handling. The generic registry tag in the portalapp.xml is a suitable place to declare a default event handler. convert the persistenceObject to a semantic object

The goal of this chapter is to focus on how to **identify** and **access** to the ...

<https://www2.evis.publics.cuparisien.com/firj.../com.../prguide60.pdf> - Similar

SEATTLE, WA, US - Patents

20090219137 Variable frequency tag - antenna assembly is operative for receiving 20090192976 METHODS AND SYSTEMS FOR CREATING A SEMANTIC OBJECT 07-30-2009 20090012992 Digital Content Metadata Registry Systems and Methods 01-08-2009 20080209504 GENERALIZED NETWORK SECURITY POLICY TEMPLATES FOR ...

www.faq.s.org/patents/city/us wa seattle - Cached - Similar

ppn Consolidated Comments

File Format: PDF/Adobe Acrobat

semantic object model standard, does address combined heat and The next steps in the interim report suggest that NIST evaluate policy and regulatory The AMI industry is developing U-SNAP (Utility Smart Network Access Port) However, EEI encourages NIST to identify more use cases and to bring the ...

www.nist.gov/smartgrid/ConsolidatedComments.pdf - Similar

dictionary of information science and technology [idea group 2007]

Access Network: See **Local Network**. **Access Board Standards** **Tag** An active **tag** is powered by its own battery, and it can transmit its ID and related An attention object often represents a **semantic object**, such as and so forth. A kind of **policy** study that aims to **identify** the ratio of 1: A measure of ...

www.scribd.com/.../dictionary-of-information-science-and-technology-idea-group-2007 - Cached - Similar

v-vdma

Using the segmentation rule, the retrieved video includes both forward and The RFID device can immediately read an RFID tag data when the device Temporal video segmentation using unsupervised clustering and semantic object tracking Media and metadata management for capture and access systems in

www.scribd.com/doc/13741005/vvdma - Cached - Similar

Institut für Architektur von Anwendungssystemen

In this paper we **identify** new MEPs and extend the template used to define MEPs to allow November 2007

In this paper we identify the **main** and extend the template used to define **main** to allow November 2 Science Meets Business Am vieren **Tag** des Stuttgarter a repository for storing business processes and associated **metadata**. layer above the database scheme, called **semantic object scheme**.}, ...

www.informatik.uni-stuttgart.de/zdi/buecherei/.../bibtex.html - Cached - Similar

Science Links Japan | IEIC Technical Report (Institute of ...

Development of **Meta**-Stable information communication simulator. Energy Efficiency of History-Based Tag-Comparison Cache for Media Applications. ... Highly Reliable Optical Devices for Optical **Access Network** using Plastic Molded The Search and Delivery Method using The **Metadata** for Regional Information. ...

scienceallinks.org/e-past/journal/ISSN32E/2002.php - Similar

1997] A Demonstration on Service Compositions based on Natural Language ...

File Format: PDF/Adobe Acrobat

lambda notation variable to represent unforeseen **semantic object** that could or service description (e.g. using an XML **tag**) so as to convey the ceives, IA enforces **access** to services or construct service compositions, accordingly Figure 74: A declaration on an **entry** in Recommended Service Rule ...

accordingly. Figure 74: A declaration on an entry in Recommendation
 nordsecmob.tls://Theisworks/masteropnave_Suttib.pdf - Similar

by K. Suttululpharich - Related articles:

1999 System Architecture with XML

File Format: PDF/Adobe Acrobat

By combining the prefix with a tag name we have assigned only the tag <authors> to To enable public access to metadata, the relationships between Semantic Object Modeling (SOM) was developed by David Kroenke (1995) during the interaction (clicks or text entry) and other events. A business rule is ...

www.elli.hpl.br/~%5B1558607455%5DSystem%20Architecture%20with%20XML.pdf - Similar

Bibliography Retrieval Engine(Beta)

State diagrams are simple and easy but how to **identify** states?, It can be as short as a **tag** line or motto. They have many uses and many advantages. **USER PROTOTYPING SOMA**(Semantic Object Modeling Approach) ref in (badXML5): XML **metadata** is in the TD not the document so does not allow reflexion. ...

www.cscj.ca/sub/adv/dick/hateful.php?from=hib&search... - Cached - Similar

Text Version - Department of Computer Science and Engineering

Open BrowneMenon04 Glen J Browne & Nirup M Menon **Network** Effects & social dilemmas Open Chavez00

Tom Chavez A Decision-analytic Stopping Rule for It can be as short as a tag line or motto. They have many uses and many advantages. USER PROTOTYPING SOMA(Semantic Object Modeling Approach) ref in

www.csg.caugb.edu/directories/wjeb - C. Williams

1995 Proceedings of the Third International FAME User Conference

File Format: PDF/Adobe Acrobat

linked data **entry** windows will give users **access** to enter table items and row items. any economic time series as an **identity** or **semantic object** as shown in forward to a graphics application integrated with the data; to use **TAG** we had **Metadata** can be added to **identify** the data set (Data Set ...
https://name.sungard.com/public_sector/.../pdf/3rdProceedings.pdf - [Similar](#)

[ipon Asset Management Data Warehousing Data Modelling](#)

File Format: PDF/Adobe Acrobat

mining in a dispersed manufacturing **network**. Using OLAP and **rule-based** difficult to **identify** the current state of technological usage in asset **meta-model for metadata** [201]. As seen in Figure 6.3, the model contains the 12 **tags**, and if the relevant **tag** does not exist, a new one can be created. ...

eprints.qut.edu.au/19310/1/Avin_Mathew_Thesis.pdf - [Similar](#)

by A Mathew - [Related articles](#)

Science Reference - I

Translating role-based **access control policy** within context The bay area research wireless **access network** (barwan segmentation using unsupervised clustering and **semantic object tracking** **Tag-free** garbage collection for strongly typed programming languages **Text entry** using soft keyboards ...

<reference.klupm.edu/so/etemap.aspx?etw=I> - [Similar](#)

[ipon EMISA 2007](#)

File Format: PDF/Adobe Acrobat

identify how our architecture may/will be affected by changes or new **Price Tag** Printing. System (Germany/ Munich) (1700). **Price Tag** Printing syntax to the repository internal representation with **metadata** is created, who should be allowed to **access** the PUA **network**.3 The input necessary to ...

<doc.utwente.nl/64399/1/EMISA-Proceedings.pdf> - [Similar](#)

by S Kurpiu-welt - Cited by 11 - [Related articles](#) - All 6 versions

[ipon 02-Computer Ctlg-09.PMD](#)

File Format: PDF/Adobe Acrobat

mining techniques such as association **rule** mining, application development and provides APIs and **tag** and **Network Access** Protection. Services. Group. **Policy**. Auditing, **Data Entry** Procedures. Part V: Software Engineering model and **semantic object** model), multi-user DBMS ...

<www.phindia.com/Computer%20Ctlg-09.pdf> - [Similar](#)

[ipon Glossary of OKDHS Terms and Acronyms](#)

File Format: Microsoft Excel

Oracle is a member of a multivendor working group to **identify** and enable this standard. OKDHS interprets this APA definition to mean a **rule** is a statement that informs In a tagged value, the name is referred as the **tag** 3244. **User Metadata**. Data that allows users to understand and **access** data ...

www.okdhs.org/NR/rdonlyres/.../glossary_okdhs_03142007.xls - [Similar](#)

[ipon WP5 Single Modality Processing State of the Art Report](#)

File Format: PDF/Adobe Acrobat

tion algorithm using unsupervised clustering and **semantic object** The problem consists of a system being able to **identify** the instruments by texts semantically related to the image (e.g. textual captions or **metadata**). In In order to choose the most likely **tag**, part-of-speech tagging systems train ...

www-roc.inria.fr/medialab/.../WP5_SoA_RevisedVersion_sep105.pdf - [Similar](#)

by M Courtaud - [Related articles](#) - All 3 versions

Products of NCEAS Research I NCEAS

The **Network** News, a publication of the Long Term Ecological Research Genetic tagging to determine passive integrated transponder **tag** loss in lemon sharks. A **metadata-driven** framework for generating field data **entry** interfaces in ecology. **Meta-information** concepts for ecological data management. ...

<www.nceas.ucsb.edu/products> - [Cached](#) - [Similar](#)

List of Books starting with T

TAG: a Tiny AGgregation service for ad-hoc sensor networks segmentation using unsupervised clustering and **semantic object tracking** The bay area research wireless **access network** (barwan The declarative semantics of the Prolog selection **rule** Transparent **Network Security Policy** Enforcement ...

<ecatalog.doc.edu.sa/T.html> - [Similar](#)

[ipon 3.Workshop on Open Source Software Engineering](#)

File Format: PDF/Adobe Acrobat

of their **metadata**—i.e. author, creation time, and the check- in comment. Identifying which APIs the developer is These release candidates are usually denoted with a -pre **tag** **identify** the information managed by an open source portal. no barrier to **entry** except use of an open source license, lots ...

<opensource.ucc.ie/c3e2003/3rd-WS-on-OSS-Engineering.pdf> - [Similar](#)

null 2006 0- Not Old学术搜索

0. A Novel Multiple Access Protocol for Wireless Internet Access **Network** with 0. A **Network Security Policy** Model and its Realization Mechanism. 0. Seeded **Semantic Object** Generation toward Content-Based Video Indexing. 0. Dynamic Programming Algorithms for Haplotype Block Partitioning and **Tag** ...

search.ustc.edu.cn/old/search_month.php?journal=null_0 - [Similar](#)

Jian- Not Old学术搜索

1591, Explorations in tag suggestion and query expansion. null 2666, A Rule Extraction Method Based on Meta-information. null - Jian Su Wenying Weng, 2007 3653, MAC Performance Analysis on Two-stage HFC Access Network. 4453, Seeded Semantic Object Generation toward Content-Based Video Indexing. ... search.usf.edu.cn/notold/search_more_paper.php?q=Jian - Similar

Publications - Hyphen.info

Edwards C, Meta-signalling for Open Network Control, 1999, Lancaster University Harnad SR, From robotic toil to symbolic theft: grounding transfer from entry-level to Kazakov D, Learning Word Segmentation Rules for Tag Prediction. Martin N, Automatic semantic object discovery and mapping from ... www.hyphen.info/dl?hero/25_ra2_author.php - Similar

In order to show you the most relevant results, we have omitted some entries very similar to the 33 already displayed. If you like, you can repeat the search with the omitted results included.

+identify +meta tag +metadata +tag +entry +"semantic object"

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [A](#)